

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

aSB249
.A3


COTTON

VARIETIES PLANTED

1951 - 1955

UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton Division

MEMPHIS, TENNESSEE
August 1955



UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
Cotton Division

COTTON VARIETIES PLANTED
1951-55

CONTENTS

	Table No.	Page No.
Introduction		1
Leading Varieties		1
United States Map		2
Varieties by States and United States	1	3
Varieties by States and Counties:		
Alabama		
Varieties by State	8	10
Varieties by Counties	9	11
Arizona		
Varieties by State	24	26
Varieties by Counties	25	27
Arkansas		
Varieties by State	15	16
Varieties by Counties	16	17
California		
Varieties by State	24	26
Varieties by Counties	25	27
Florida		
Varieties by State	23	26
Georgia		
Varieties by State	6	8
Varieties by Counties	7	9
Illinois		
Varieties by State	23	26
Kentucky		
Varieties by State	23	26
Louisiana		
Varieties by State	17	18
Varieties by Parishes	18	19
Mississippi		
Varieties by State	10	12
Varieties by Counties	11	13
Missouri		
Varieties by State	23	26
Varieties by Counties	14	15
New Mexico		
Varieties by State	24	26
Varieties by Counties	25	27
North Carolina		
Varieties by State	2	4
Varieties by Counties	3	5
Oklahoma		
Varieties by State	19	20
Varieties by Counties	20	21
South Carolina		
Varieties by State	4	6
Varieties by Counties	5	7
Tennessee		
Varieties by State	12	14
Varieties by Counties	13	15
Texas		
Varieties by State	21	22-23
Varieties by Counties	22	24-25
Texas-District 6		
Varieties by District	24	26
Varieties by Counties	25	27
Virginia		
Varieties by State	23	26

P. O. Box 8074, Crosstown Station

Memphis, Tennessee

August 1955

Cotton Varieties Planted, United States

1951-55

This is the fifth in the series of annual reports entitled "Cotton Varieties Planted", published by the Department of Agriculture. The report presents estimates of the percentage of the various varieties of cotton planted in the United States in 1955, by counties, districts, and states. Comparative data for the four years 1951-54 are shown by districts and states.

In the last three years a preliminary report presenting the percentage distribution of cotton varieties planted by counties and districts in the early harvesting area of south Texas has preceded the issuance of the report for the United States. This report is released before the national publication is completed so that variety information may be available prior to the commencement of the active marketing season in south Texas.

The variety data are based principally on estimates furnished by cotton ginner for the territories served by their gins. These estimates are supplemented by information supplied by other persons closely associated with cotton culture in their respective areas, such as seed breeders and dealers, and county agents.

The estimates contained herein indicate that on a belt-wide basis three general varieties account for nearly two-thirds of the cotton acreage in 1955, the same proportion as a year earlier. The principal varieties are Deltapine, Acala, and Coker. In 1955, Deltapine accounts for 31 percent of the United States total acreage, which is the same proportion as the preceding two years. Acreage planted to Acala accounts for a larger proportion of the total with 21 percent this season against 19 percent last season. The proportion of the total acreage planted to Coker decreased for the third successive year. Coker comprises 12 percent of this season's total compared with 13 percent last season and 15 and 17 percent, respectively, in 1953 and 1952.

In the southeastern area of the belt, Coker 100-W continued to be the principal variety of cotton planted. Practically the entire acreage in North Carolina and South Carolina was planted to this variety. Over half of the 1955 acreage in Georgia is Coker 100-W and this variety comprises nearly half of the Alabama acreage. The next most popular variety in Georgia is Empire, and in Alabama Deltapine rates second. The leading variety in the south central area of the belt continues to be Deltapine. The proportion of Deltapine increased in 1955 over a year earlier in all states in the south central area except Louisiana where the proportion was unchanged. Deltapine accounts for well over two-thirds of the total acreage planted in the south central area. In the southwestern area of the belt, the principal varieties planted in their order of relative importance are Lankart, Deltapine, and Paymaster; all of which comprise larger proportions than a year earlier. Percentages for Rowden, Lockett 140 and Stormproof, and Macha, were only half as large as those of a year ago. In the far western area of the belt, Acala remained the principal variety of cotton planted. Acala accounts for practically the entire California acreage, about 94 percent of the Arizona acreage, and 71 percent of the acreage in New Mexico. Pima S-1 displaces Pima 32 as the principal variety of American-Egyptian cotton planted. The proportion of Pima S-1 this season is nearly eight times greater than that of Pima 32 which until this season was the leading variety of American-Egyptian.

The data presented in this report are estimates which should serve as reliable guides as to the geographic distribution and the proportions of the various varieties of cotton throughout the Cotton Belt.


Estimated percentage of cotton acreage planted to specified varieties, United States, 1951-55

Year	Acala	Coker 100-W	Delta- pine	Empire	Fox	Hibred and Half & Half	Lankart	Lockett 140 and Stormproof	Rowden	Stone- ville	Other 1/	Total
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
1951	16	14	31	4	-	3	2	1	7	6	11	100
1952	19	17	30	4	*	2	2	2	4	4	11	100
1953	21	15	31	4	2	1	3	3	3	4	12	100
1954	19	13	31	4	3	1	6	2	3	4	14	100
1955	21	12	31	4	2	2	7	1	2	3	15	100


* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

UNITED STATES Districts for Cotton Quality Reports



U. S. DEPARTMENT OF AGRICULTURE



U.S. DEPARTMENT OF AGRICULTURE

Table 2. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and states, 1951-55

District and State	Ginnings	Coker 100-W	Coker Wilds	Delta-pine	Empire	Stone-wilt	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1								
1951	142	97	*	1	*	-	2	100
1952	169	98	*	1	*	-	1	100
1953	132	96	*	2	1	-	1	100
1954	88	97	*	1	1	-	1	100
1955	-	98	*	1	*	-	1	100
District 2								
1951	215	98	-	*	*	-	2	100
1952	236	98	*	*	-	-	2	100
1953	169	99	-	*	-	*	1	100
1954	151	99	*	*	*	*	*	100
1955	-	99	-	*	*	-	*	100
District 3								
1951	203	99	-	-	-	-	1	100
1952	179	99	-	*	*	*	1	100
1953	163	100	*	*	*	*	*	100
1954	146	98	-	1	*	*	1	100
1955	-	99	-	*	*	-	*	100
State								
1951	560	98	*	*	*	-	2	100
1952	584	98	*	1	*	*	1	100
1953	464	98	*	1	*	*	1	100
1954	385	98	*	1	*	*	1	100
1955	-	99	*	1	*	-	*	100

* Less than 0.5 percent.

1/ Includes small acreage planted to varieties other than those specified.

Table 3. North Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Coker 100-W	Coker Wilds	Delta-pine	Empire	Rucker	Other 1/	Total
	<u>Number</u>	<u>1,000 bales</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>	<u>Percent</u>
District 1									
Anson	12	9.1	98	-	1	-	-	1	100
Cabarrus	9	2.8	100	-	-	-	-	-	100
Catawba	7	1.8	94	-	1	3	1	1	100
Cleveland	28	23.9	100	-	-	-	*	-	100
Gaston	4	.9	100	-	-	-	-	-	100
Iredell	9	7.2	95	-	2	*	-	3	100
Lincoln	10	5.7	99	-	-	-	*	1	100
Mecklenburg	6	6.7	98	-	2	-	-	-	100
Polk	3	1.7	89	-	11	-	-	-	100
Rowan	4	3.7	94	-	-	6	-	-	100
Rutherford	10	5.1	88	-	10	2	-	-	100
Stanley	6	2.3	100	-	-	-	-	-	100
Union	22	14.0	99	*	1	-	-	-	100
All Other	4	3.1	100	-	-	-	-	-	100
Total	134	88.0	98	*	1	*	*	1	100

Coker 100-W	Delta-pine	Empire	Stoneville 3202	Other 1/	—	Total
-------------	------------	--------	-----------------	----------	---	-------

District 2

Bertie	5	6.0	100	-	-	-	-	-	100
Chowan	3	2.4	100	-	-	-	-	-	100
Edgecombe	8	9.8	100	-	-	-	-	-	100
Franklin	10	5.0	100	-	-	-	-	-	100
Gates	4	1.5	100	-	-	-	-	-	100
Greene	3	2.0	100	-	-	-	-	-	100
Halifax	18	19.5	100	-	-	-	-	-	100
Hertford	3	4.2	93	-	2	5	-	-	100
Johnston	23	18.4	100	*	-	-	-	-	100
Lenoir	2	1.6	100	-	-	-	-	-	100
Nash	14	12.4	100	-	-	-	-	-	100
Northampton	18	18.6	99	1	-	-	-	-	100
Perquimans	4	1.4	100	-	-	-	-	-	100
Pitt	6	9.0	96	4	-	-	-	-	100
Wake	10	3.8	100	-	-	-	-	-	100
Warren	11	5.4	100	-	-	-	-	-	100
Wayne	14	12.0	100	*	-	-	*	-	100
Wilson	8	10.6	100	*	-	-	-	-	100
All Other	8	7.9	100	-	-	-	-	-	100
Total	172	151.5	99	*	*	*	*	-	100


Coker 100-W	Brooms 5 Lock	Delta-pine	Empire	Moore Special	Other 1/	Total
-------------	---------------	------------	--------	---------------	----------	-------

District 3

Bladen	4	2.4	100	-	-	-	-	-	100
Cumberland	14	10.7	100	-	-	-	-	-	100
Duplin	4	3.6	100	-	-	-	-	-	100
Harnet	15	21.1	100	-	-	-	-	-	100
Hoke	6	8.2	100	-	-	-	-	-	100
Lee	3	2.6	100	-	-	-	-	-	100
Richmond	4	3.2	100	-	-	-	-	-	100
Robeson	28	45.8	99	-	*	*	-	*	100
Sampson	18	20.8	97	1	1	-	-	1	100
Scotland	10	19.2	100	-	-	-	-	-	100
All Other	5	8.0	99	-	-	-	1	-	100
Total	111	145.6	99	*	*	*	*	*	100

* Less than 0.5 percent.

1/ Includes small acreage planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 4. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings	Coker 100-W	Coker Wilds	Delta-pine	Empire	Stone-wilt	White Gold	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
1951	195	98	-	1	*	-	1	-	100
1952	187	99	*	*	*	-	*	1	100
1953	167	99	-	*	-	-	*	1	100
1954	121	99	-	-	-	-	*	*	100
1955	-	97	-	1	2	*	-	*	100
District 2									
1951	436	99	1	*	*	*	*	-	100
1952	332	99	*	*	-	-	-	1	100
1953	356	99	*	*	*	*	*	1	100
1954	273	99	*	*	-	-	-	*	100
1955	-	99	*	*	*	*	-	1	100
District 3									
1951	241	99	-	*	*	1	*	-	100
1952	152	98	*	*	*	1	*	1	100
1953	176	98	-	1	*	1	-	*	100
1954	127	97	-	-	-	1	*	2	100
1955	-	99	-	*	*	*	-	1	100
State									
1951	872	99	*	*	*	*	*	1	100
1952	671	99	*	*	*	*	*	1	100
1953	699	99	*	*	*	*	*	1	100
1954	521	99	*	-	-	*	*	*	100
1955	-	99	-	*	*	*	-	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 5. South Carolina: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Coker 100-W	Delta-pine	Empire	Stone-wilt	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent
District 1								
Abbeville	5	5.4	87	3	7	-	3	100
Anderson	25	17.0	93	1	5	-	1	100
Cherokee	11	4.5	100	-	-	-	-	100
Chester	10	5.0	100	-	-	-	-	100
Edgefield	8	10.3	100	-	-	-	-	100
Fairfield	6	3.9	100	-	-	-	-	100
Greenville	15	9.1	97	1	1	1	-	100
Greenwood	5	2.1	100	-	-	-	-	100
Laurens	13	9.9	94	1	1	3	1	100
McCormick	3	2.1	95	5	-	-	•	100
Newberry	7	5.3	99	1	-	-	-	100
Oconee	7	4.7	99	-	1	-	-	100
Pickens	8	4.7	99	-	1	-	-	100
Saluda	6	6.1	99	-	-	-	1	100
Spartanburg	30	16.1	93	5	2	-	-	100
Union	5	2.8	100	-	-	-	-	100
York	15	12.0	100	-	-	-	-	100
Total	179	121.0	97	1	2	•	•	100
			Coker 100-W	Coker Wilds	Empire	Stone-wilt	Other 1/	Total
District 2								
Chesterfield	16	20.4	97	1	-	-	2	100
Clarendon	14	24.8	99	-	1	-	-	100
Darlington	10	17.4	98	1	-	-	1	100
Dillon	10	19.8	99	-	-	-	1	100
Florence	16	32.9	100	-	-	-	-	100
Horry	3	4.0	100	-	-	-	-	100
Kershaw	8	9.8	100	-	-	-	-	100
Lancaster	9	8.0	99	1	-	-	-	100
Lee	14	30.7	99	1	-	-	-	100
Marion	5	7.0	100	-	-	-	-	100
Marlboro	18	34.0	100	-	-	-	-	100
Richland	4	3.7	100	-	-	-	-	100
Sumter	21	33.2	98	-	-	1	1	100
Williamsburg	10	23.8	99	-	-	-	1	100
All Other	1	2.9	99	-	-	-	1	100
Total	159	272.4	99	•	•	•	1	100
			Coker 100-W	Delta-pine	Empire	Stone-wilt	Other 1/	Total
District 3								
Alken	11	11.7	99	-	-	-	1	100
Allendale	5	5.5	100	-	-	-	-	100
Bamberg	5	8.3	100	-	-	-	-	100
Barnwell	8	8.8	100	-	-	-	-	100
Calhoun	8	11.4	92	-	1	3	4	100
Colleton	7	7.2	100	-	-	-	-	100
Dorchester	6	9.3	99	-	-	-	1	100
Hampton	6	7.7	100	-	-	-	-	100
Lexington	6	8.0	99	-	-	-	1	100
Orangeburg	33	46.1	99	1	-	•	•	100
All Other	3	3.3	100	-	-	-	-	100
Total	98	127.3	99	•	•	•	1	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 6. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings 1,000 bales	Coker 100-W Percent	Delta- pine Percent	Empire Percent	Fox Percent	Plains Percent	Stone- ville Percent	Stone- willt Percent	Other 1/ Percent	Total Percent
District 1										
1951	307	63	7	19	-	-	5	5	1	100
1952	300	58	10	26	-	*	3	2	1	100
1953	295	57	10	28	-	-	2	1	2	100
1954	215	57	8	30	1	-	1	1	2	100
1955	-	56	7	33	1	*	1	*	2	100
District 2										
1951	349	59	17	14	-	-	5	*	5	100
1952	255	56	17	16	-	*	3	-	8	100
1953	273	54	20	18	-	2	3	*	3	100
1954	246	50	16	23	3	4	2	*	2	100
1955	-	50	17	23	3	5	1	1	*	100
District 3										
1951	266	72	6	12	-	-	4	2	4	100
1952	177	72	4	15	-	*	2	4	3	100
1953	184	75	6	13	-	*	1	2	3	100
1954	154	69	5	17	2	1	1	4	1	100
1955	-	66	5	17	1	1	1	5	4	100
State										
1951	922	60	12	20	-	-	5	1	2	100
1952	732	60	11	19	-	*	3	2	5	100
1953	752	60	13	21	-	1	2	1	2	100
1954	615	58	10	24	2	2	2	1	1	100
1955	-	56	11	25	2	2	1	2	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 7. Georgia: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Coker 100-W	Delta-pine	Empire	Fox	Stoneville	Other 1/	Total
	Number	bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Baldwin	3	1.5	80	5	10	5	-	-	100
Banks	3	1.8	67	-	33	-	-	-	100
Barrow	5	5.0	43	-	57	-	-	-	100
Bartow	10	16.1	70	1	29	-	-	-	100
Carroll	9	6.7	48	-	52	-	-	-	100
Chattooga	3	3.6	18	5	77	-	-	-	100
Cherokee	3	.3	50	-	50	-	-	-	100
Clarke	3	3.4	55	7	38	-	-	-	100
Cobb	3	.5	1	-	98	-	1	-	100
Coweta	10	6.5	25	-	73	-	-	-	100
Elbert	5	5.8	49	2	39	10	-	-	100
Floyd	6	5.7	64	1	35	-	-	-	100
Forsythe	6	.9	17	1	34	4	-	44	100
Franklin	9	7.1	61	4	35	-	-	-	100
Fulton	3	1.1	11	-	35	-	54	-	100
Gordon	9	9.6	64	4	28	-	-	-	100
Greene	5	1.7	43	16	39	2	-	-	100
Gwinnett	8	3.0	63	1	14	-	-	22	100
Hall	6	1.7	41	-	59	-	-	-	100
Hancock	4	5.9	25	22	48	5	-	-	100
Haralson	5	1.7	21	-	69	2	5	3	100
Hart	8	7.2	67	1	32	-	-	-	100
Henry	7	7.2	63	4	26	-	7	-	100
Jackson	9	6.9	61	3	36	-	-	-	100
Jasper	4	2.6	28	19	28	25	-	-	100
Lamar	3	1.1	23	-	77	-	-	-	100
Madison	4	7.1	77	4	19	-	-	-	100
McDuffie	3	5.2	60	10	12	-	-	18	100
Meriwether	7	8.1	61	34	2	2	1	-	100
Morgan	10	8.9	85	3	12	-	-	-	100
Murray	3	3.2	13	-	85	-	-	2	100
Newton	4	3.9	47	26	14	13	-	-	100
Oconee	3	4.7	50	12	35	3	-	-	100
Oglethorpe	4	1.6	89	-	11	-	-	-	100
Paulding	3	1.4	-	2	93	-	-	5	100
Pike	4	4.1	77	-	22	-	1	-	100
Polk	6	4.7	46	-	48	1	2	3	100
Rockdale	3	3.4	80	15	5	-	-	-	100
Spalding	4	2.0	97	-	3	-	-	-	100
Troup	3	1.2	33	34	33	-	-	-	100
Walker	3	1.8	18	4	75	-	-	3	100
Walton	16	14.4	65	27	6	2	-	-	100
Warren	3	6.2	72	-	28	-	-	-	100
Whitfield	4	1.2	41	-	52	-	-	7	100
Wilkes	5	2.2	48	23	29	-	-	-	100
All Other	22	15.1	52	4	42	-	-	2	100
Total	263	215.0	56	7	33	1	1	2	100
District 2									
Bleckley	3	4.1	73	11	14	2	-	-	100
Brooks	4	9.6	77	5	10	5	-	-	100
Calhoun	4	7.7	64	11	18	5	-	-	100
Coffee	5	5.6	68	5	22	-	-	-	100
Colquitt	7	23.2	26	36	30	4	3	1	100
Crisp	4	9.3	32	15	13	2	37	1	100
Dodge	10	7.9	52	8	29	2	8	-	100
Dooley	9	15.3	40	27	14	2	8	9	100
Early	3	7.3	45	12	40	-	3	-	100
Irwin	3	6.1	35	2	62	-	-	-	100
Lowndes	3	3.2	78	16	6	-	-	-	100
Macon	5	7.7	74	6	15	1	3	1	100
Mitchell	5	11.8	71	8	17	1	2	1	100
Pulaski	4	9.8	36	19	22	6	16	1	100
Sumter	4	9.9	5	78	3	2	12	-	100
Taylor	5	7.7	31	-	69	-	-	-	100
Terrell	5	12.3	69	10	6	3	2	10	100
Thomas	3	9.0	73	7	14	2	4	-	100
Tift	4	9.1	59	3	35	2	1	-	100
Turner	4	7.5	38	25	27	-	5	5	100
Wilcox	5	7.3	53	9	26	-	11	1	100
Worth	5	9.9	47	15	33	2	3	-	100
All Other	31	44.0	55	16	23	5	1	•	100
Total	135	245.5	50	17	23	3	5	2	100
District 3									
Bulloch	7	10.0	84	2	14	-	-	-	100
Burke	17	25.0	60	-	12	1	18	9	100
Candler	5	6.3	65	3	29	-	-	3	100
Emanuel	8	9.1	56	9	33	-	-	2	100
Glascok	4	3.2	52	-	38	-	10	-	100
Jefferson	8	10.4	79	3	11	-	-	7	100
Jenkins	3	6.9	75	-	14	-	9	2	100
Johnson	7	9.8	63	5	27	-	-	5	100
Laurens	11	18.0	50	19	21	1	1	8	100
Richmond	3	2.2	66	1	14	-	9	10	100
Screven	8	9.9	74	4	16	3	-	3	100
Toombs	5	7.4	68	4	15	3	4	6	100
Washington	7	10.6	89	-	-	-	-	11	100
All Other	17	25.6	73	6	15	2	2	2	100
Total	110	154.4	66	5	17	1	5	6	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 8. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings	Coker 100-W	Delta-pine	Empire	Fox	Plains	Stone-ville	Stone-wilt	White Gold	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
1951	374	14	40	23	-	2	17	-	1	3	100
1952	414	14	31	23	-	7	19	-	2	4	100
1953	472	14	29	25	-	7	20	•	1	4	100
1954	329	13	28	35	1	8	11	-	1	3	100
1955	-	15	30	29	1	12	11	-	-	2	100
District 2											
1951	293	62	29	1	-	1	2	-	-	5	100
1952	265	59	28	3	-	3	2	•	•	5	100
1953	288	56	31	2	-	5	1	•	•	5	100
1954	216	54	33	3	3	4	1	-	-	2	100
1955	-	61	29	3	1	4	1	-	-	1	100
District 3											
1951	246	42	29	11	-	1	9	3	1	4	100
1952	218	70	8	1	-	4	1	10	-	6	100
1953	207	70	5	2	-	6	•	10	-	7	100
1954	194	67	9	2	-	11	1	7	-	3	100
1955	-	66	7	4	-	12	•	9	-	2	100
State											
1951	913	46	28	9	-	1	8	1	1	6	100
1952	897	41	24	10	-	5	9	3	1	7	100
1953	967	40	24	12	-	6	10	3	•	5	100
1954	739	37	25	19	1	8	6	1	1	2	100
1955	-	41	24	15	1	10	5	2	-	2	100

Table 9. Alabama: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Coker 100-W	Delta-pine	Empire	Fox	Hibred and Half & Half	Plains	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Blount	17	12.7	65	1	25	-	1	2	5	1	100
Cherokee	20	18.8	8	15	13	-	-	25	39	-	100
Colbert	12	14.0	-	84	5	5	-	-	-	6	100
Cullman	37	30.9	9	8	30	-	1	32	20	-	100
DeKalb	34	32.9	56	*	3	-	5	20	15	1	100
Etowah	11	8.3	62	9	5	-	-	16	7	1	100
Franklin	11	10.1	18	32	15	3	3	-	27	2	100
Jackson	18	18.4	8	42	46	-	-	1	2	1	100
Lauderdale	25	19.6	2	54	25	-	-	14	-	5	100
Lawrence	24	23.5	2	55	29	-	-	5	8	1	100
Limestone	28	30.7	*	21	67	-	-	3	9	-	100
Madison	32	42.9	1	49	48	-	-	2	-	-	100
Marion	9	8.6	2	61	12	21	-	-	1	3	100
Marshall	27	27.6	28	13	4	-	-	29	22	4	100
Morgan	14	24.0	8	40	40	-	-	7	5	-	100
Winston	9	5.8	-	17	38	6	3	6	28	2	100
Total	328	328.8	15	30	29	1	1	12	11	1	100

Auburn 56	Coker 100-W	Delta-pine	Empire	Fox	Plains	Stone-ville	Other 1/	Total
-----------	-------------	------------	--------	-----	--------	-------------	----------	-------

District 2											
Autauga	8	4.3	4	62	3	-	-	-	-	31	100
Calhoun	6	5.2	-	73	7	6	-	13	1	-	100
Chambers	7	7.1	-	74	10	9	-	-	7	-	100
Chilton	8	7.2	-	83	2	9	-	1	-	5	100
Choctaw	6	5.0	-	52	47	-	-	-	-	1	100
Clay	6	3.0	-	68	8	12	-	2	10	-	100
Cleburne	2	2.3	-	60	5	20	-	15	-	-	100
Dallas	13	16.2	-	85	5	1	-	7	-	2	100
Elmore	10	12.3	-	76	18	3	-	2	-	1	100
Fayette	8	4.5	-	29	40	-	31	-	-	-	100
Greene	6	5.0	-	56	44	-	-	-	-	-	100
Hale	11	9.6	-	26	65	2	6	-	-	1	100
Lamar	7	5.7	-	9	71	4	8	4	1	3	100
Lowndes	9	6.0	7	76	2	-	-	12	-	3	100
Macon	10	12.8	-	88	-	-	3	6	1	2	100
Marengo	10	14.8	-	60	40	-	-	-	-	-	100
Montgomery	9	8.7	-	89	3	-	-	-	5	3	100
Perry	5	8.3	-	28	66	2	-	3	-	1	100
Pickens	11	9.0	-	14	86	-	-	-	-	-	100
Randolph	8	8.0	-	66	8	12	-	4	8	2	100
Russell	6	9.4	-	92	-	3	-	3	1	1	100
St. Clair	4	3.8	-	36	59	2	-	3	-	-	100
Shelby	3	4.8	-	27	70	-	-	2	-	1	100
Sumter	11	7.1	-	41	59	-	-	-	-	-	100
Talladega	12	8.3	-	79	11	8	-	1	-	1	100
Tallapoosa	6	4.2	-	92	7	1	-	-	-	1	100
Tuscaloosa	11	10.0	-	19	76	*	1	3	-	1	100
Walker	7	4.8	-	5	43	15	9	28	-	-	100
All Other	8	8.5	-	68	3	9	-	20	-	*	100
Total	228	215.9	*	61	29	3	1	4	1	1	100

Coker 100-W	Delta-pine	Empire	Plains	Smith 78	Stone-ville	Stone-wilt	Other 1/	Total
-------------	------------	--------	--------	----------	-------------	------------	----------	-------

District 3											
Barbour	9	10.7	88	2	3	5	-	-	-	2	100
Bullock	5	7.1	96	1	-	-	-	-	2	1	100
Butler	7	5.2	63	8	6	8	-	-	14	1	100
Coffee	8	11.8	46	8	11	4	6	-	21	4	100
Conecuh	8	8.4	56	4	7	20	-	-	10	3	100
Covington	8	17.3	67	7	3	17	-	1	3	2	100
Crenshaw	7	8.8	70	6	4	3	-	-	17	-	100
Dale	4	8.0	85	-	4	1	-	2	8	-	100
Escambia	5	17.9	79	2	-	13	-	-	-	6	100
Geneva	11	25.8	34	5	4	22	-	1	25	9	100
Henry	7	11.6	77	-	7	7	-	-	8	1	100
Houston	8	22.4	75	2	7	6	-	1	9	-	100
Monroe	11	12.7	37	-	21	42	-	-	-	-	100
Pike	11	13.7	80	-	1	9	3	2	4	1	100
Wilcox	8	6.7	49	-	36	14	-	-	-	1	100
All Other	3	6.3	74	23	-	-	-	-	-	3	100
Total	120	194.4	66	7	4	12	1	*	9	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 10. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings 1,000 bales	Coker 100-W Percent	Coker Staple Percent	Coker Wilds Percent	Delfos Percent	Delta- pine Percent	Empire Percent	Fox Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
District 1											
1951	868	11	2	*	3	79	-	-	3	2	100
1952	1,017	9	1	*	3	84	-	-	2	1	100
1953	1,197	7	1	-	3	86	-	-	1	2	100
1954	842	6	2	-	4	80	1	4	*	3	100
1955	-	4	1	*	6	80	*	5	1	3	100
District 2											
1951	335	3	*	*	*	70	6	-	18	3	100
1952	422	3	-	*	-	76	5	-	13	3	100
1953	435	2	-	*	-	74	4	5	12	3	100
1954	374	2	-	*	-	78	3	2	12	3	100
1955	-	2	-	-	1	79	2	1	10	5	100
District 3											
1951	217	16	-	*	*	77	1	-	5	1	100
1952	239	12	-	*	*	79	4	-	3	2	100
1953	283	12	-	*	*	79	4	-	3	2	100
1954	196	12	-	-	*	75	5	4	3	1	100
1955	-	10	-	*	1	78	6	2	2	1	100
District 4											
1951	169	6	-	-	-	81	3	-	8	2	100
1952	181	7	-	-	*	80	3	-	8	2	100
1953	184	7	-	-	*	78	7	-	6	2	100
1954	152	5	-	-	*	81	5	2	6	1	100
1955	-	8	-	-	*	76	6	2	7	1	100
State											
1951	1,589	10	1	*	2	77	2	-	7	1	100
1952	1,859	8	1	*	2	81	2	-	5	1	100
1953	2,099	7	*	*	2	82	2	1	4	2	100
1954	1,564	6	1	*	2	79	2	4	4	2	100
1955	-	4	1	*	3	81	2	3	4	2	100

* Less than 0.5 percent.


1/ Includes small acreages planted to varieties other than those specified.

Table 11. Mississippi: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Bobshaw	Coker 100-W	Coker Staple	Delfos	Delta-pine	Fox	Stoneville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Number 1											
Bolivar	63	131.7	-	-	1	1	86	10	1	1	100
Coahoma	49	104.1	1	-	-	2	93	3	-	1	100
Holmes	25	44.4	-	22	-	6	65	2	2	3	100
Humphreys	17	43.2	-	1	13	20	63	-	-	3	100
Issaquena	4	8.9	-	19	-	5	70	5	1	-	100
Leflore	41	76.7	-	7	-	-	91	1	-	1	100
Quitman	26	58.7	1	-	-	-	88	8	-	3	100
Sharkey	16	28.9	-	5	3	27	42	19	-	4	100
Sunflower	48	100.2	12	4	-	1	80	2	-	1	100
Tallahatchie	29	53.5	1	2	-	2	89	1	1	4	100
Tunica	24	51.5	-	-	-	-	97	3	-	-	100
Warren	3	9.3	-	-	-	-	95	3	-	2	100
Washington	48	85.4	-	1	-	6	82	8	2	1	100
Yazoo	18	46.0	-	13	-	39	48	-	-	-	100
Total	411	842.5	2	4	1	6	80	5	1	1	100
			Coker 100-W	Delfos	Delta-pine	Empire	Fox	Hibred and Half & Half	Stoneville	Other 1/	Total
District 2											
Alcorn	10	12.9	-	-	70	-	-	6	18	6	100
Benton	6	8.0	-	2	57	9	4	-	24	4	100
Calhoun	10	16.5	-	-	49	-	-	-	47	4	100
Chickasaw	11	17.9	-	-	90	1	3	-	2	4	100
De Soto	21	37.9	1	2	83	3	3	-	5	3	100
Grenada	7	12.8	3	2	83	4	-	-	5	3	100
Itawamba	8	8.7	2	-	83	1	-	1	8	5	100
Lafayette	8	12.9	-	-	93	-	-	-	2	5	100
Lee	20	26.6	-	-	79	-	-	-	16	5	100
Marshall	17	30.8	2	1	73	4	-	-	14	6	100
Monroe	14	20.6	2	-	93	-	1	-	-	4	100
Panola	24	46.2	-	3	84	2	1	-	5	5	100
Pontotoc	13	16.2	3	-	81	3	-	-	10	3	100
Prentiss	12	16.5	15	-	71	-	-	-	9	5	100
Tate	14	36.3	-	-	90	2	-	1	3	4	100
Tippah	13	20.7	9	-	56	4	1	-	25	5	100
Tishomingo	6	7.5	6	-	73	8	-	5	6	2	100
Union	9	12.9	-	-	76	1	-	-	13	10	100
Yalobusha	5	11.6	-	-	92	-	1	-	2	5	100
Total	228	373.5	2	1	79	2	1	*	10	5	100
			Coker 100-W	Coker Wilds	Delfos	Delta-pine	Empire	Fox	Stoneville	Other 1/	Total
District 3											
Attala	9	10.1	20	-	6	66	6	1	1	-	100
Carroll	3	9.1	11	*	2	80	4	-	2	1	100
Clay	7	6.8	3	-	-	90	-	3	3	1	100
Hinds	14	22.9	-	2	-	86	3	-	7	2	100
Kemper	8	3.4	15	-	-	80	3	-	1	1	100
Lauderdale	10	5.1	27	-	-	61	6	-	3	3	100
Leake	14	15.5	21	1	-	71	3	1	1	2	100
Lowndes	9	11.1	1	-	-	81	7	9	1	1	100
Madison	17	28.8	4	-	-	86	4	5	1	-	100
Montgomery	10	10.8	7	-	4	85	1	-	3	-	100
Neshoba	15	11.3	33	1	-	56	6	1	-	3	100
Newton	10	7.3	20	-	-	55	23	-	1	1	100
Noxubee	9	12.6	1	-	-	86	10	3	-	-	100
Oktibbeha	3	4.3	7	-	-	88	3	-	1	1	100
Rankin	7	7.6	1	-	-	86	7	3	-	3	100
Scott	9	11.5	16	-	-	65	16	-	1	2	100
Webster	7	6.9	2	-	-	90	3	-	4	1	100
Winston	10	10.0	15	-	-	74	6	-	4	1	100
All Other	2	5.3	3	1	-	83	2	-	11	-	100
Total	173	196.1	10	*	1	78	6	2	2	1	100
			Coker 100-W	Delfos	Delta-pine	Empire	Fox	Hibred and Half & Half	Stoneville	Other 1/	Total
District 4											
Adams	4	2.2	-	-	99	-	-	-	-	1	100
Amite	7	8.3	-	1	93	-	-	-	5	1	100
Claiborne	4	4.0	1	-	97	-	-	-	1	1	100
Clarke	4	4.1	15	-	78	5	-	-	2	-	100
Copiah	10	8.4	5	-	67	9	-	-	17	2	100
Covington	8	10.7	5	-	69	15	-	-	10	1	100
Jasper	10	6.7	15	-	73	4	4	-	4	-	100
Jefferson Davis	11	16.3	18	-	70	4	4	1	-	3	100
Jefferson	4	5.3	-	-	100	-	-	-	-	-	100
Jones	5	5.4	13	-	65	12	-	-	10	-	100
Lamar	4	3.1	26	-	56	15	-	3	-	-	100
Lawrence	8	8.9	2	-	89	2	1	1	4	1	100
Lincoln	4	7.2	1	-	56	3	-	-	40	-	100
Marion	8	9.4	5	-	73	11	-	-	11	-	100
Pike	9	6.1	-	1	73	-	-	-	23	3	100
Simpson	6	9.1	1	-	86	3	1	2	6	1	100
Smith	11	7.4	6	-	89	1	-	2	2	-	100
Walthall	11	11.2	-	-	78	19	-	-	2	1	100
Wayne	4	6.1	40	-	47	6	-	-	7	-	100
All Other	7	8.1	9	-	74	-	13	-	3	1	100
Total	139	151.8	8	*	76	6	2	*	7	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 12. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings	Coker 100-W	Delta-pine	Empire	Fox	Hibred and Half & Half	Stone-ville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
1951	480	1	63	23	-	1	8	4	100
1952	565	1	62	22	2	1	8	4	100
1953	613	1	61	18	11	1	6	2	100
1954	491	*	61	19	10	2	6	2	100
1955	-	*	69	17	6	2	5	1	100
District 2									
1951	45	11	37	30	-	*	7	15	100
1952	56	11	30	32	*	10	12	5	100
1953	73	8	26	36	5	12	7	6	100
1954	43	7	24	42	4	9	9	5	100
1955	-	6	28	41	2	11	6	6	100
State									
1951	525	3	60	24	-	1	8	4	100
1952	621	2	60	23	2	2	9	2	100
1953	686	1	58	19	10	2	6	4	100
1954	534	1	57	21	10	2	6	3	100
1955	-	*	69	17	6	2	5	1	100

* Less than 0.5 percent.

^{1/} Includes small acreages planted to varieties other than those specified.

Table 13. Tennessee: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Coker 100-W	Delta-pine	Empire	Fox	Hibred and Half & Half	Northern Star	Stoneville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1											
Carroll	17	15.4	-	58	36	-	2	1	2	1	100
Chester	9	9.6	-	78	12	1	7	-	-	2	100
Crockett	12	30.2	-	68	17	8	1	-	5	1	100
Dyer	18	34.3	-	64	9	11	-	-	15	1	100
Payette	20	36.4	-	60	18	2	-	1	17	2	100
Gibson	22	43.4	-	59	35	2	-	-	4	-	100
Hardeman	16	22.2	3	73	13	-	3	-	7	1	100
Hardin	5	5.3	-	80	9	4	3	-	-	4	100
Haywood	21	37.0	-	89	8	3	-	-	-	-	100
Henderson	15	17.1	-	53	23	1	22	-	-	1	100
Henry	4	3.1	-	45	49	-	-	-	6	-	100
Lake	10	37.3	-	76	-	23	-	-	-	1	100
Lauderdale	22	37.7	-	70	21	5	-	-	3	1	100
McNairy	18	23.1	-	68	7	3	20	-	1	1	100
Madison	22	26.5	-	72	19	5	1	-	1	2	100
Obion	9	13.0	2	72	10	6	1	-	7	2	100
Shelby	27	44.2	2	63	20	11	-	1	1	2	100
Tipton	20	45.3	-	71	16	4	2	-	6	1	100
Weakley	6	7.0	4	35	47	8	-	-	1	5	100
All Other	4	3.0	-	57	17	10	9	-	4	3	100
Total	297	491.1	*	69	17	6	2	*	5	1	100

Coker 100-W	Delta-pine	Empire	Fox	Hibred and Half & Half	Stoneville	Tennessee 241	Other 1/	Total
-------------	------------	--------	-----	------------------------	------------	---------------	----------	-------

District 2

Franklin	4	5.0	-	42	26	-	22	-	10	-	100
Giles	5	4.2	15	36	33	4	3	4	-	5	100
Lawrence	16	15.6	2	14	62	-	18	-	-	4	100
Lincoln	8	10.7	16	11	40	-	6	24	-	3	100
Rutherford	4	2.8	-	95	-	-	-	-	-	5	100
All Other	13	4.6	3	49	19	12	4	1	12	-	100
Total	50	42.9	6	28	41	2	11	6	3	3	100

Table 14. Missouri: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1955

County	Gins	1954 Ginnings	Coker 100-W	Delfos	Delta-pine	Empire	Fox	Paula	Rowden	Stoneville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
County												
Butler	10	17.5	-	-	31	1	17	9	9	33	*	100
Dunklin	38	89.0	1	25	24	-	10	7	5	27	1	100
Mississippi	15	40.8	-	4	59	-	28	*	-	8	1	100
New Madrid	40	121.6	-	29	37	-	24	2	-	7	1	100
Pemiscot	40	123.9	-	22	37	-	15	5	-	20	1	100
Scott	10	24.9	-	6	32	1	39	4	-	17	1	100
Stoddard	12	37.1	-	16	22	4	40	7	-	11	*	100
All Other	1	1.2	-	-	40	10	35	-	15	-	-	100
Total	166	456.0	*	21	35	*	21	4	1	16	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 15. Arkansas: estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings 1,000 bales	Coker 100-W Percent	Delta- pine Percent	Empire Percent	Fox Percent	Hibred and Half & Half Percent	Paula Percent	Rowden Percent	Stone- ville Percent	Other 1/ Percent	Total Percent
District 1											
1951	47	*	43	7	-	27	-	13	6	4	100
1952	39	*	48	7	*	29	-	8	3	5	100
1953	44	*	53	5	1	32	*	3	2	4	100
1954	43	*	58	3	3	27	-	3	1	5	100
1955	-	*	56	3	*	35	-	1	1	4	100
District 2											
1951	747	1	68	10	-	*	2	6	10	3	100
1952	787	*	74	9	*	*	2	2	9	4	100
1953	877	1	67	8	11	*	2	1	8	2	100
1954	793	*	68	8	10	*	2	1	8	3	100
1955	-	*	73	7	4	-	2	1	4	9	100
District 3											
1951	89	2	62	1	-	2	-	11	19	3	100
1952	96	1	66	3	-	1	-	7	20	2	100
1953	116	2	75	3	1	1	-	5	12	1	100
1954	84	2	79	2	*	1	-	6	9	2	100
1955	-	1	75	2	*	2	-	6	9	5	100
District 4											
1951	362	6	57	3	-	*	-	5	23	6	100
1952	422	3	64	1	*	*	-	3	27	2	100
1953	490	2	65	1	3	*	-	1	27	1	100
1954	427	2	65	1	2	*	1	1	24	4	100
1955	-	2	70	2	2	*	-	1	14	9	100
State											
1951	1,245	2	63	7	-	2	1	7	15	3	100
1952	1,344	1	70	6	*	1	2	3	15	2	100
1953	1,527	1	67	5	7	1	1	1	14	3	100
1954	1,347	1	68	5	7	1	1	1	13	3	100
1955	-	1	72	5	3	1	1	1	7	9	100

* Less than 0.5 percent.


1/ Includes small acreages planted to varieties other than those specified.

Table 16. Arkansas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Cins	1954 Cinnings	Coker 100-W	Delta-pine	Empire	Fox	Hibred and Half & Half	Northern Star	Rowden	Stone-ville	Other <u>1/</u>	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1												
Conway	4	3.7	-	76	-	4	10	-	6	-	4	100
Faulkner	6	9.0	1	4	-	-	41	3	-	3	5	100
Independence	5	3.0	-	85	2	-	9	-	-	-	4	100
Izard	3	.6	-	12	-	-	83	-	-	-	5	100
White	13	12.3	-	31	4	-	61	-	-	-	4	100
Yell	5	8.1	-	87	7	-	1	-	-	1	4	100
All Other	6	6.1	-	51	2	1	40	-	-	1	5	100
Total	44	42.8	*	56	3	*	35	*	1	1	4	100
District 2												
Clay	22	38.0	25	20	13	5	23	1	12	-	1	100
Craighead	38	72.2	26	37	7	2	1	5	17	5	-	100
Crittenden	57	120.8	-	89	1	7	-	-	-	3	-	100
Cross	23	40.0	-	74	16	6	-	-	-	-	4	100
Greene	17	32.9	21	30	5	-	4	11	27	-	2	100
Jackson	21	45.1	72	20	3	-	-	1	-	-	4	100
Lawrence	13	14.6	-	28	63	-	-	-	3	-	6	100
Mississippi	81	210.0	9	81	3	7	-	-	-	-	-	100
Poinsett	28	102.0	1	92	1	2	1	-	3	-	-	100
Randolph	8	9.8	-	62	21	12	-	-	1	-	4	100
St. Francis	30	76.3	2	80	8	1	-	1	5	-	3	100
Woodruff	14	30.6	-	94	1	2	-	-	1	-	2	100
Total	352	792.9	7	73	7	4	2	1	4	1	1	100
District 3												
Ashley	13	25.0	-	3	91	-	-	1	-	2	3	100
Bradley	5	2.1	-	-	60	3	-	5	7	21	4	100
Calhoun	3	1.6	-	-	42	-	-	5	48	-	5	100
Clark	3	2.3	-	-	64	-	-	5	26	-	5	100
Cleveland	5	2.2	-	-	54	-	-	5	1	36	4	100
Columbia	8	5.5	-	-	44	15	-	12	3	25	1	100
Drew	7	9.9	-	8	63	-	-	1	-	27	1	100
Hempstead	11	6.1	-	-	63	4	-	-	27	3	3	100
Lafayette	9	11.4	6	-	85	-	1	-	1	3	4	100
Little River	3	4.4	3	-	82	-	-	-	-	12	3	100
Miller	5	5.5	-	-	85	-	-	-	4	8	3	100
Nevada	3	2.7	-	-	62	11	-	3	17	3	4	100
All Other	11	3.6	1	-	65	1	-	7	17	2	7	100
Total	86	84.0	1	2	75	2	*	2	6	9	3	100
District 4												
Arkansas	6	6.8	-	-	61	5	1	-	6	26	1	100
Chicot	12	32.0	-	-	92	-	-	-	-	6	2	100
Desha	15	47.8	-	22	58	-	1	-	-	18	1	100
Jefferson	36	60.6	4	4	83	-	7	-	-	1	1	100
Lee	23	65.5	1	3	62	4	2	-	-	25	3	100
Lincoln	12	24.9	1	6	62	-	3	*	-	27	2	100
Lenoke	23	50.2	-	29	35	-	1	3	2	30	-	100
Monroe	13	29.3	1	-	78	10	-	-	1	7	3	100
Phillips	40	93.7	2	*	81	1	3	-	1	10	2	100
Prairie	6	7.2	-	-	89	4	-	2	-	4	-	100
Pulaski	14	9.5	-	-	78	1	1	-	13	-	1	100
Total	200	427.5	2	7	70	2	2	*	1	14	2	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U.S. DEPARTMENT OF AGRICULTURE

Table 17. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings	Coker 100-W	Delfos	Delta-pine	Fox	Stone-ville	Other ^{1/}	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1								
1951	183	*	*	96	-	2	2	100
1952	197	*	1	99	-	1	*	100
1953	210	1	1	99	-	*	*	100
1954	119	*	1	98	1	*	1	100
1955	-	1	2	96	*	*	1	100
District 2								
1951	24	1	-	96	-	2	1	100
1952	22	1	-	94	-	1	4	100
1953	22	6	-	91	-	1	2	100
1954	15	4	-	91	-	*	5	100
1955	-	6	-	87	-	1	6	100
District 3								
1951	302	8	1	85	-	4	2	100
1952	313	2	1	94	-	3	*	100
1953	414	1	1	93	-	1	4	100
1954	248	*	3	91	4	1	1	100
1955	-	*	4	92	3	*	1	100
District 4								
1951	240	1	-	95	-	4	*	100
1952	207	-	-	97	-	3	*	100
1953	149	*	-	96	-	3	*	100
1954	180	*	-	97	*	2	1	100
1955	-	-	-	96	-	4	*	100
State								
1951	749	4	1	91	-	3	1	100
1952	739	1	*	96	-	3	*	100
1953	795	1	*	96	-	1	2	100
1954	562	*	2	94	2	1	1	100
1955	-	1	2	94	1	1	1	100

* Less than 0.5 percent.


^{1/} Includes small acreages planted to varieties other than those specified.

Table 18. Louisiana: Estimated percentage of cotton acreage planted to specified varieties, by parishes and districts, crop of 1955

District and Parish	Gins	1954 Ginnings	Coker 100-W	Delfos	Delta-pine	Fox	Stone-ville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1									
Bossier	10	16.7	-	5	92	2	-	1	100
Caddo	22	30.9	-	2	97	*	-	1	100
De Soto	8	4.1	2	-	96	-	-	2	100
Orant	4	2.3	2	-	86	2	-	10	100
Natchitoches	16	17.9	4	-	95	-	-	1	100
Rapides	14	35.1	-	-	99	-	-	1	100
Red River	9	10.0	2	7	90	-	-	1	100
All Other	3	2.3	3	-	95	-	2	*	100
Total	86	119.3	1	2	96	*	*	1	100
District 2									
Bienville	5	3.3	1	95	3	-	1	-	100
Claiborne	7	3.5	6	87	5	-	2	-	100
Lincoln	4	2.1	7	78	13	2	-	-	100
Union	3	2.8	14	78	5	3	-	-	100
Webster	7	2.7	-	97	1	-	2	-	100
All Other	3	.6	13	84	3	-	-	-	100
Total	29	15.0	6	87	5	1	1	-	100
District 3									
Caldwell	3	6.5	-	-	89	10	-	1	100
Catahoula	5	11.7	*	-	98	1	-	1	100
Concordia	9	12.9	1	*	98	1	-	*	100
East Carroll	15	30.8	*	28	70	2	*	-	100
Franklin	21	38.1	*	-	97	2	*	1	100
Madison	8	19.9	-	2	87	10	*	1	100
Morehouse	12	27.2	-	-	96	3	1	*	100
Quachita	5	16.0	1	-	99	-	-	*	100
Richland	24	38.9	1	-	97	1	-	1	100
Tensas	8	24.6	-	3	94	3	*	-	100
West Carroll	16	20.9	2	-	95	1	1	1	100
Total	126	247.5	*	4	92	3	*	1	100
District 4									
Acadia	9	12.5	-	-	100	-	-	-	100
Avoyelles	22	33.4	-	-	99	-	-	1	100
East Feliciana	4	4.4	-	-	100	-	-	-	100
Evangeline	15	21.4	1	-	99	-	-	-	100
Lafayette	16	19.5	-	-	97	-	3	-	100
Pointe Coupee	10	14.2	-	-	93	-	7	-	100
St. Landry	33	47.0	-	-	95	-	5	-	100
St. Martin	6	10.2	-	-	74	-	26	-	100
Vermilion	6	5.3	-	-	98	-	2	-	100
Washington	6	6.8	-	-	97	1	1	1	100
All Other	4	5.2	-	-	99	-	*	1	100
Total	131	179.9	*	-	96	*	4	*	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



U. S. DEPARTMENT OF AGRICULTURE

Table 19. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by districts and state, 1951-55

District and State	Ginnings	Cluster	Delta-pine	Hibred and Half & Half	Lankart	Lockett 140	Lockett Stormproof	Northern Star	Rowden	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1												
1951	354	6	*	17	30	11	-	24	-	1	11	100
1952	179	6	-	14	43	6	4	17	-	2	8	100
1953	293	8	*	13	42	8	8	14	-	1	6	100
1954	217	7	*	15	43	6	7	13	-	1	8	100
1955	-	5	*	16	46	4	7	14	-	1	7	100
District 2												
1951	50	-	28	2	1	1	-	2	7	43	16	100
1952	44	-	20	-	9	2	-	2	5	42	20	100
1953	66	-	21	*	6	1	1	*	2	46	23	100
1954	34	-	23	1	6	1	*	1	4	51	13	100
1955	-	-	28	*	7	-	*	1	*	52	12	100
District 3												
1951	53	1	33	17	11	3	-	6	4	16	9	100
1952	36	-	27	12	21	5	-	6	4	14	11	100
1953	68	-	31	9	17	3	-	2	5	21	12	100
1954	38	-	23	11	17	2	-	5	5	24	13	100
1955	-	-	31	11	16	1	1	5	2	19	14	100
State												
1951	457	4	13	14	20	7	-	15	3	14	10	100
1952	259	5	5	12	30	6	3	14	1	7	17	100
1953	427	5	9	10	33	6	6	10	1	12	8	100
1954	289	5	8	12	33	5	5	10	1	13	8	100
1955	-	4	8	13	36	3	5	11	*	10	10	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 20. Oklahoma: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Cluster	Hibred and Half & Half	Lankart	Lockett 140	Lockett Stormproof	Northern Star	Stoneville	Wacona	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1												
Beckham	18	31.2	-	6	53	7	22	7	-	-	5	100
Blaine	7	5.0	-	-	34	-	4	48	8	-	-	100
Caddo	26	21.0	-	33	42	4	4	7	4	3	4	100
Comanche	8	2.3	-	11	30	9	3	34	5	-	8	100
Cotton	4	3.2	-	52	2	8	9	22	2	-	5	100
Custer	9	8.3	-	5	69	10	9	-	2	-	5	100
Dewey	3	2.5	-	2	43	-	14	14	-	4	23	100
Greer	9	13.9	4	5	43	3	11	32	-	-	2	100
Harmon	12	19.8	25	14	24	3	-	13	-	6	15	100
Jackson	19	37.5	-	7	45	8	4	26	-	7	3	100
Kiowa	17	16.6	2	11	61	2	2	17	-	1	4	100
Roger Mills	4	6.4	-	16	31	3	27	17	-	-	6	100
Tillman	16	22.8	21	52	20	1	1	1	-	-	4	100
Washita	21	22.4	-	7	77	-	2	9	-	-	5	100
Total	173	216.8	5	16	46	4	7	14	1	2	5	100
District 2												
Canadian	5	3.4	5	-	-	68	-	5	-	15	7	100
Cleveland	3	.8	4	-	-	-	-	-	-	88	8	100
Hughes	5	2.1	40	-	-	-	-	-	3	52	5	100
Logan	4	.9	34	-	-	-	-	-	-	61	5	100
McIntosh	7	3.7	7	14	-	-	-	-	-	75	4	100
Muskogee	14	9.6	42	2	-	-	-	-	-	50	6	100
Okmulgee	3	3.6	26	1	-	-	-	-	-	64	9	100
Payne	3	.7	24	-	-	6	-	3	-	60	7	100
Pittsburg	5	2.5	43	-	1	-	-	-	-	50	6	100
Wagoner	5	2.6	53	4	-	-	-	-	2	36	5	100
All Other	17	3.9	19	8	4	1	1	-	-	56	11	100
Total	71	33.8	28	4	1	7	*	1	*	52	7	100
District 3												
Bryan	6	6.5	-	41	1	-	24	-	8	6	1	100
Garvin	6	3.6	19	9	3	3	-	-	-	77	8	100
Grady	12	5.9	-	2	8	69	-	5	-	11	5	100
Jefferson	8	5.1	-	-	28	11	-	5	-	37	19	100
McClain	5	2.6	-	10	3	43	-	36	-	4	4	100
Stephens	3	1.6	-	-	19	13	-	26	-	27	15	100
All Other	12	12.9	-	37	25	-	9	1	1	14	13	100
Total	52	38.2	3	31	11	16	6	5	2	19	7	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.




Table 21. Texas: Estimated percentage of cotton acreage planted to specified varieties, by districts and state 1951-55

District and State	Ginnings	Acacia	American-Egyptian	Delfos	Delta-pine	Empire	Hibred and Half & Half	Lankart	Lockett 140 Stormproof	Macha	Mebane	Northern Star	Paymaster	Qualla	Rowden	Stone-ville	Western Prolific	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1																			
1951	1,270	•	-	-	1	1	13	•	6	50	3	7	5	•	•	-	4	10	100
1952	1,436	•	-	-	2	•	8	1	14	50	1	8	11	•	-	-	1	4	100
1953	1,370	•	-	-	2	1	4	•	29	26	•	•	19	•	-	-	•	7	100
1954	1,581	1	-	-	1	•	2	17	20	15	•	18	17	-	-	-	1	8	100
1955	-	1	-	-	2	2	8	32	7	4	1	11	23	•	-	•	-	9	100
District 2																			
1951	530	1	-	-	11	•	13	7	8	9	7	19	3	4	•	•	10	8	100
1952	247	1	-	-	8	-	12	14	13	11	4	17	2	3	•	•	5	10	100
1953	244	•	-	-	8	-	24	10	18	4	3	23	1	1	•	•	2	6	100
1954	391	-	-	-	10	-	11	25	10	3	4	18	2	3	-	-	9	5	100
1955	-	-	-	-	9	•	9	20	15	3	4	12	4	3	1	-	1	19	100
District 3																			
1951	27	-	-	-	•	-	11	2	5	1	37	14	2	9	6	-	8	5	100
1952	9	-	-	-	•	•	9	12	10	1	30	12	-	3	3	4	14	2	100
1953	30	-	-	-	•	•	12	4	8	•	29	14	2	12	2	-	16	1	100
1954	16	-	-	-	1	1	11	13	3	-	18	21	4	11	3	9	-	2	100
1955	-	-	-	-	-	1	5	22	5	-	13	12	-	17	1	1	21	2	100
District 4																			
1951	613	•	-	-	2	•	•	2	•	•	24	1	-	1	66	1	-	3	100
1952	601	-	-	-	2	•	•	6	1	•	•	1	•	3	59	1	•	3	100
1953	1,074	•	-	-	3	•	•	16	•	•	17	4	•	13	42	1	-	4	100
1954	440	•	-	-	4	•	•	33	•	-	11	10	•	11	28	•	•	3	100
1955	-	•	-	-	4	•	•	32	1	-	12	10	•	17	20	•	•	4	100
District 5																			
1951	187	1	-	-	41	•	9	-	-	-	17	•	-	2	26	3	-	1	100
1952	182	•	-	-	47	•	11	•	-	-	16	•	•	3	14	2	-	7	100
1953	246	2	-	-	51	•	8	•	-	-	11	1	•	8	13	2	•	4	100
1954	145	1	-	-	47	•	11	1	-	-	13	2	-	7	11	1	-	6	100
1955	-	2	-	-	57	1	8	1	-	-	8	3	-	5	11	1	-	3	100
District 6																			
1951	204	78	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
1952	254	78	15	-	6	-	-	-	-	-	-	-	1	-	-	-	-	-	100
1953	266	67	13	-	8	-	-	-	-	-	-	-	-	-	-	-	-	12	100
1954	270	79	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	12	100
1955	-	79	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	13	100
District 7																			
1951	21	1	-	-	1	-	2	2	3	7	21	1	4	20	15	-	22	1	100
1952	14	5	-	-	1	-	3	20	1	12	21	1	-	5	15	-	8	8	100
1953	33	5	-	-	-	-	8	27	•	•	11	1	-	18	19	-	4	7	100
1954	20	4	-	-	-	-	7	37	-	1	6	•	•	13	6	1	22	2	100
1955	-	2	-	-	-	-	6	43	-	-	4	•	-	6	5	-	16	18	100
District 8																			
1951	279	-	-	-	9	•	-	14	-	-	8	4	-	4	42	6	•	6	100
1952	417	•	-	-	10	1	-	18	-	-	4	4	-	9	34	6	-	7	100
1953	279	•	-	-	13	3	-	23	-	-	3	7	-	6	23	3	-	7	100
1954	350	•	-	-	19	4	-	17	•	-	5	8	•	8	22	1	•	9	100
1955	-	•	-	-	13	4	-	25	-	-	3	9	•	7	14	4	-	6	100
District 9																			
1951	236	-	-	-	75	•	•	10	-	-	•	1	•	1	3	5	-	5	100
1952	219	-	-	-	77	-	•	6	-	-	-	1	-	•	5	3	-	7	100
1953	223	•	-	-	77	2	•	9	-	-	•	2	-	•	1	3	-	5	100
1954	182	-	-	-	80	•	-	7	-	-	•	•	-	•	2	2	-	6	100
1955	-	1	-	-	80	3	-	5	-	-	•	•	-	1	4	•	-	6	100
District 10																			
1951	686	1	-	-	49	11	-	2	-	-	2	5	•	5	5	9	-	6	100
1952	364	1	-	-	66	11	-	-	-	-	1	1	-	•	3	8	-	8	100
1953	240	2	-	-	66	11	-	2	-	-	1	1	•	•	3	8	-	5	100
1954	467	1	-	-	62	12	-	•	-	-	•	3	•	3	3	4	-	12	100
1955	-	1	-	-	66	8	-	1	-	-	•	3	•	4	3	7	-	6	100
State																			
1951	4,053	2	•	1	12	1	7	4	4	16	10	7	2	2	20	2	4	6	100
1952	3,743	6	•	•	21	2	4	5	6	13	6	6	1	1	13	2	1	6	100
1953	4,255	6	1	1	18	2	4	9	12	10	4	5	7	4	11	2	•	4	100
1954	3,862	5	•	1	15	1	4	18	8	5	5	11	6	10	1	1	•	5	100
1955	-	6	1	2	17	3	4	22	4	2	3	8	10	4	5	1	•	8	100

• Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 22. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955

District and County	Gins	1954 Ginnings	Acala	Delta-pine	Empire	Hibred and Half & Half	Lankart	Lockett Storm-proof	Macha	Northern Star	Pay master	Western Prolific Stormproof	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 1														
Bailey	18	51.9	9	-	1	-	15	10	4	43	12	-	6	100
Briscoe	4	15.0	-	-	-	44	-	-	-	13	35	-	8	100
Castro	11	52.2	-	-	-	-	11	20	3	6	43	-	17	100
Cochran	13	28.7	-	-	29	6	26	6	12	1	10	-	10	100
Crosby	21	97.1	-	-	4	17	33	3	11	6	12	5	9	100
Dawson	26	81.2	-	26	-	12	31	1	2	6	6	-	16	100
Floyd	19	106.6	*	-	8	2	11	9	-	14	54	-	2	100
Gaines	6	19.8	-	6	4	37	33	1	5	6	1	-	7	100
Hale	30	204.3	-	-	4	5	18	6	3	11	46	-	7	100
Hockley	32	147.5	2	-	-	10	29	17	3	26	13	-	-	100
Howard	13	29.1	-	-	-	-	2	8	4	1	4	53	28	100
Lamb	35	185.7	-	-	-	1	36	6	1	13	38	-	5	100
Lubbock	40	222.5	1	-	1	3	72	4	-	6	6	-	7	100
Lynn	28	108.5	-	-	-	15	46	8	4	2	9	7	9	100
Martin	13	40.0	23	6	-	32	3	3	6	-	-	7	20	100
Midland	3	9.7	5	5	5	30	-	-	10	-	30	10	5	100
Parmer	10	46.5	-	-	2	7	15	15	3	25	27	-	6	100
Swisher	10	41.2	-	-	8	-	6	7	7	17	47	-	8	100
Terry	16	68.7	-	-	5	9	33	3	4	2	36	-	8	100
Yoakum	5	16.6	-	-	-	2	72	8	8	-	-	-	10	100
All Other	4	8.3	5	-	-	17	4	21	17	11	15	2	8	100
Total	357	1,581.1	1	2	2	8	32	7	4	11	23	2	8	100
District 2														
Baylor	3	6.2	18	-	51	-	5	-	-	8	-	5	13	100
Childress	7	12.3	3	8	30	8	30	-	-	11	-	-	10	100
Coleman	6	3.5	-	2	-	-	-	-	5	25	-	38	30	100
Collingsworth	13	29.1	-	-	6	18	25	-	-	14	4	-	33	100
Cottle	9	13.9	-	55	2	7	19	-	-	-	9	-	8	100
Dickens	10	20.9	-	39	14	-	3	17	-	5	-	-	22	100
Donley	5	15.4	-	7	4	9	28	11	-	27	8	-	14	100
Fisher	11	16.8	1	1	15	2	-	-	1	4	3	-	73	100
Foard	5	4.0	-	28	42	17	5	-	-	8	-	-	-	100
Garza	6	11.4	-	-	12	-	9	41	-	1	-	-	37	100
Hall	16	40.8	25	12	1	1	21	1	-	31	7	-	1	100
Hardeman	7	9.1	-	18	22	8	6	-	-	39	-	-	7	100
Haskell	13	34.2	20	5	45	-	-	-	-	20	-	-	10	100
Jones	18	25.2	2	2	73	-	-	-	1	2	-	13	7	100
King	3	2.8	11	6	-	14	11	-	-	58	-	-	-	100
Knox	9	19.1	68	-	15	-	-	-	4	-	-	6	-	100
Mitchell	11	17.4	-	2	4	2	-	-	46	1	-	-	45	100
Motley	7	13.8	-	6	-	15	26	-	-	4	41	-	8	100
Nolan	7	8.9	-	-	50	-	-	-	-	-	6	42	2	100
Runnels	16	17.9	2	2	27	-	-	-	25	3	3	18	20	100
Scurry	8	17.0	-	-	-	-	-	3	-	-	10	-	85	100
Stonewall	4	5.4	-	-	64	-	3	-	3	14	-	-	16	100
Taylor	9	7.1	3	-	15	-	-	-	25	9	-	22	26	100
Wheeler	10	14.2	-	2	11	26	21	1	-	15	11	-	13	100
Wichita	4	3.4	-	28	25	25	-	-	-	11	-	-	11	100
Wilbarger	11	16.0	6	28	29	11	10	-	-	2	-	-	14	100
All Other	3	4.8	-	-	2	1	-	-	-	60	-	-	15	100
Total	231	390.6	9	9	20	5	10	3	4	12	4	12	12	100
District 3														
Clay	4	2.2	-	2	33	30	-	23	-	-	-	-	5	100
Erath	4	1.6	-	2	-	-	28	25	25	3	7	17	-	100
Throckmorton	3	1.6	-	5	80	-	13	-	-	-	-	-	-	100
All Other	15	10.4	2	6	15	1	13	10	22	1	-	28	2	100
Total	26	15.8	1	5	22	5	13	12	17	1	1	21	2	100
District 4														
Bell	22	21.0	2	-	-	39	-	11	3	-	24	14	7	100
Bosque	10	2.0	-	-	-	41	-	20	5	-	27	7	-	100
Collin	28	36.9	-	-	-	33	-	9	8	-	25	25	-	100
Cooke	4	3.0	-	-	2	-	-	87	6	1	4	-	-	100
Coryell	7	3.4	-	-	-	20	-	16	33	-	10	16	5	100
Dallas	10	8.9	9	-	-	25	-	36	-	-	7	22	1	100
Delta	11	12.7	15	-	-	48	-	9	15	-	-	9	4	100
Denton	8	4.5	-	-	-	1	-	70	20	-	7	2	-	100
Ellis	40	42.2	1	-	-	57	-	5	1	-	10	26	-	100
Falls	20	20.2	7	-	-	39	-	5	9	1	14	14	11	100
Fannin	17	23.3	8	-	-	5	8	19	18	-	26	16	-	100
Grayson	12	14.3	2	-	-	10	-	40	33	-	13	2	-	100
Hamilton	5	1.5	-	-	4	60	-	27	2	-	3	-	4	100
Hill	30	30.2	-	-	-	84	-	1	6	-	8	1	-	100
Hunt	21	21.8	-	-	-	12	-	18	16	-	27	24	3	100
Johnson	11	8.1	-	-	-	73	-	3	10	-	4	10	-	100
Kaufman	18	18.7	-	-	-	6	-	26	-	-	32	35	1	100
Lamar	17	17.0	45	-	1	1	-	6	10	-	13	20	4	100
Limestone	12	15.9	3	-	3	20	-	6	18	-	8	42	-	100
McLennan	34	33.2	-	-	-	51	-	12	18	-	9	4	6	100
Milam	16	15.9	4	1	-	21	-	12	-	-	21	34	7	100
Navarro	22	32.7	-	-	-	16	-	8	12	2	26	36	-	100
Rockwall	6	9.2	6	-	-	2	-	15	1	-	61	15	-	100
Tarrant	6	4.9	1	-	-	45	-	25	6	-	-	23	-	100
Williamson	39	38.3	1	-	-	24	-	4	17	-	16	28	10	100
Total	426	439.8	4	*	*	32	1	12	10	*	17	20	4	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 22. Texas: Estimated percentage of cotton acreage planted to specified varieties, by counties and districts, crop of 1955 - continued

District and County	Gins	1954 Ginnings	Acala	Delta-pine	Hibred and Half & Half	Lankart	Mebane	Northern Star	Qualla	Rowden	Stoneville	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
District 5													
Bowie	3	3.4	-	89	1	-	-	-	-	10	-	-	100
Brazos	9	12.3	22	70	-	-	1	1	3	2	-	1	100
Cass	4	2.9	-	36	13	-	-	-	-	-	-	51	100
Cherokee	4	3.3	-	43	36	-	10	3	-	-	8	-	100
Freestone	6	5.8	-	4	45	-	20	8	18	5	-	-	100
Grimes	11	14.0	1	84	-	2	2	-	2	3	-	6	100
Harrison	9	3.1	-	91	7	-	-	-	-	-	-	2	100
Hopkins	7	5.9	-	7	-	4	24	-	14	45	2	4	100
Houston	9	12.4	-	41	7	9	18	1	14	2	1	7	100
Leon	5	5.8	-	67	-	-	5	-	3	18	-	7	100
Madison	4	2.8	-	47	-	-	6	-	12	29	-	6	100
Nacogdoches	4	1.8	-	60	12	-	15	-	-	13	-	-	100
Red River	9	11.5	-	58	-	1	2	3	2	34	-	-	100
Robertson	12	20.0	-	97	-	-	-	1	1	-	-	1	100
Rusk	5	2.9	-	56	42	-	1	-	-	-	-	1	100
San Augustine	5	2.4	-	75	14	-	1	-	-	-	-	10	100
Shelby	7	3.7	-	52	16	-	1	18	-	8	4	1	100
Smith	9	2.8	-	34	47	-	-	3	-	9	5	2	100
Van Zandt	5	4.2	-	3	13	3	53	-	-	28	-	-	100
Walker	3	3.1	-	55	-	-	10	-	15	-	-	20	100
Waller	4	2.6	-	72	-	-	-	-	-	21	-	7	100
All Others	24	18.5	-	28	14	-	13	8	10	22	-	5	100
Total	158	145.2	2	57	8	1	8	3	5	11	1	4	100
District 6													
El Paso	26	84.8	64	-	3	6	5	22	-	-	-	-	100
Hudspeth	8	25.8	100	-	-	-	-	-	-	-	-	-	100
Pecos	5	26.1	95	-	2	-	-	-	1	-	-	2	100
Reves	22	115.1	80	1	2	3	3	7	3	-	-	1	100
Ward	3	7.0	97	-	1	-	-	-	-	-	-	2	100
All Others	3	11.1	96	-	-	-	-	-	-	-	-	4	100
Total	67	269.9	79	1	2	3	3	10	1	-	-	1	100
District 7													
McCulloch	5	1.3	28	-	10	-	38	5	12	-	-	7	100
Tom Green	8	10.7	-	8	51	1	2	3	-	30	-	5	100
All Others	11	8.1	-	3	38	10	6	7	-	-	24	12	100
Total	24	20.1	2	6	43	4	6	5	1	16	10	8	100
District 8													
Austin	16	11.8	-	31	-	-	3	-	5	56	-	5	100
Bastrop	4	3.9	-	26	-	3	3	-	40	10	4	14	100
Bee	4	6.7	-	2	33	42	-	2	18	-	-	3	100
Burleson	14	16.7	-	84	-	-	-	-	3	10	-	3	100
Caldwell	8	8.0	-	5	-	10	2	-	46	25	-	12	100
Colorado	4	6.1	-	48	-	-	3	-	37	-	7	5	100
De Witt	7	6.8	-	-	-	-	19	26	40	11	-	4	100
Fayette	21	10.4	-	13	-	1	-	-	19	50	8	9	100
Gonzales	8	3.9	-	14	-	5	10	-	11	31	4	25	100
Guadalupe	8	6.0	-	-	-	17	35	-	6	31	-	11	100
Hays	5	4.3	-	5	-	-	33	-	41	18	-	3	100
Karnes	14	11.3	-	1	1	21	-	1	9	66	-	1	100
Lavaca	17	12.9	-	-	-	19	13	1	7	51	-	9	100
Lee	4	3.3	-	-	-	20	18	-	20	31	-	11	100
Nueces	29	106.0	38	10	8	2	-	26	1	-	9	6	100
Refugio	4	13.9	6	24	6	51	-	8	-	-	-	5	100
San Patricio	21	87.3	11	3	4	72	-	-	1	-	3	6	100
Travis	15	9.5	-	1	-	22	5	-	13	49	-	10	100
Washington	17	11.9	-	31	-	-	16	-	16	26	-	11	100
All Others	7	9.1	-	8	8	6	2	-	8	63	-	5	100
Total	227	349.8	15	13	4	25	3	9	7	14	4	6	100
District 9													
Brazoria	6	13.6	-	-	83	-	-	-	-	8	4	5	100
Calhoun	5	14.0	-	4	88	-	-	-	-	-	-	8	100
Fort Bend	22	47.6	-	-	81	-	1	-	-	9	-	9	100
Jackson	7	10.6	-	-	84	8	3	-	-	-	-	5	100
Matagorda	8	12.8	5	-	84	5	-	-	5	-	-	1	100
Victoria	9	17.6	-	-	12	20	47	-	2	13	-	6	100
Wharton	24	61.2	-	-	95	-	-	-	1	-	-	4	100
All Others	3	4.3	-	-	81	-	-	6	-	6	-	7	100
Total	282	181.7	1	*	80	2	5	*	1	4	*	6	100
District 10													
Atascosa	3	3.0	-	-	-	-	1	-	23	52	-	24	100
Cameron	53	158.0	-	-	76	11	-	2	-	-	5	6	100
Duval	3	4.7	-	-	-	4	22	11	27	23	-	13	100
Hidalgo	55	157.1	3	-	72	9	-	4	2	2	3	5	100
Jim Wells	4	17.9	-	-	-	10	27	23	23	9	3	5	100
Live Oak	4	4.1	-	-	-	2	2	11	-	80	-	5	100
Maverick	3	6.6	-	-	99	-	-	-	-	-	-	1	100
Starr	3	5.9	-	-	30	4	-	3	29	27	2	5	100
Willacy	30	89.1	-	5	68	5	-	2	5	-	10	5	100
Zavala	4	14.2	-	-	25	7	-	-	-	-	63	5	100
All Others	3	6.9	-	-	31	-	10	-	4	4	9	10	100
Total	165	467.5	1	1	66	8	1	3	4	3	7	6	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 23. Other Southeastern and South Central States: Estimated percentage of cotton acreage planted to specified varieties, by states, 1951-55

State and Year	Ginnings	Bobshaw	Coker 100-W	Delfos	Delta-pine	Empire	Fox	Paula	Plains	Rowden	Sealand and Coastland	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Virginia														
1951	12.1	-	100	-	-	-	-	-	-	-	-	-	-	100
1952	20.2	-	98	-	2	*	-	-	-	-	-	-	-	100
1953	15.4	-	99	-	1	-	-	-	-	-	-	-	-	100
1954	9.9	-	99	-	1	-	-	-	-	-	-	-	-	100
1955	-	-	97	-	3	*	-	-	-	-	-	-	-	100
Florida														
1951	18.2	-	87	-	6	-	-	-	-	-	*	6	1	100
1952	16.8	-	81	-	1	-	-	-	-	-	8	4	6	100
1953	13.8	-	66	-	7	1	-	-	7	-	4	2	13	100
1954	16.5	-	69	-	15	1	-	-	4	-	1	*	10	100
1955	-	-	58	-	6	1	-	-	18	-	2	5	10	100
Kentucky														
1951	4.7	-	-	-	94	4	-	-	-	-	-	-	2	100
1952	5.1	-	-	-	86	2	11	-	-	-	-	-	1	100
1953	6.5	-	-	-	83	1	14	-	-	-	-	-	2	100
1954	8.3	-	-	-	83	-	17	-	-	-	-	-	-	100
1955	-	-	-	-	85	-	15	-	-	-	-	-	-	100
Illinois														
1951	1.0	-	*	-	13	72	-	-	-	-	-	15	-	100
1952	.9	2	-	-	9	51	1	-	-	-	-	27	10	100
1953	1.7	-	-	-	12	30	32	-	-	-	-	24	2	100
1954	27.0	10	-	-	-	-	72	-	-	-	-	18	-	100
1955	-	10	-	10	1	12	56	-	-	-	-	11	-	100
Missouri														
1951	321.7	-	-	-	53	1	-	13	-	1	-	30	2	100
1952	394.1	-	1	*	43	1	7	15	-	2	-	30	1	100
1953	452.4	*	2	1	31	*	26	12	-	1	-	27	-	100
1954	456.0	*	1	4	30	*	40	4	-	1	-	20	-	100
1955	-	-	*	20	35	*	21	4	-	1	-	16	3	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.

Table 24. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states, 1951-55

State and Year	Ginnings	Acala 4-42	Acala 44	Acala 1517C	Deltapine	Mesilla Valley	Paymaster	Pima 32	Pima S-1	Stoneville	Other 1/	Total
	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona												
1951	799	1	66	7	-	*	-	4	-	-	22	100
1952	932	17	58	-	-	*	-	4	-	-	21	100
1953	1,055	10	80	3	-	-	-	4	-	-	3	100
1954	900	6	80	4	-	-	-	*	3	-	7	100
1955	-	4	86	4	-	-	-	*	3	-	3	100
California												
1951	1,764	100	-	-	-	-	-	-	-	-	-	100
1952	1,822	100	-	-	-	-	-	-	-	-	-	100
1953	1,785	100	*	*	-	*	-	-	-	-	-	100
1954	1,512	99	1	-	-	-	-	-	-	-	-	100
1955	-	99	1	-	*	*	-	-	-	-	-	100
New Mexico												
1951	265	-	-	42	7	12	-	-	-	8	31	100
1952	311	-	2	72	6	2	7	4	-	5	2	100
1953	315	-	-	60	11	1	4	7	-	3	14	100
1954	296	-	-	71	6	2	6	2	-	3	10	100
1955	-	-	-	71	2	2	4	1	3	3	14	100
Texas-District 6												
1951	204	-	-	66	-	23	-	11	-	-	-	100
1952	254	-	-	42	6	32	1	15	-	-	4	100
1953	256	-	-	65	8	10	-	13	-	-	4	100
1954	270	-	-	78	2	3	-	6	1	1	9	100
1955	-	-	-	79	1	3	-	3	10	1	3	100

* Less than 0.5 percent.


1/ Includes small acreages planted to varieties other than those specified.

Table 25. Western Area: Estimated percentage of cotton acreage planted to specified varieties, by states and counties, crop of 1955

State and Counties	Gins	1954 Ginnings	Acala 4-42	Acala P-18	Acala 33	Acala 44	Acala 1517C	Acala 2916	Acala WR-2946	Pima S-1	Other 1/	Total
	Number	1,000 bales	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Arizona												
Graham	7	27.8	-	-	-	-	24	14	14	44	2	100
Maricopa	54	366.5	4	*	1	91	-	-	-	4	*	100
Pima	14	66.7	-	-	-	96	-	-	2	2	-	100
Pinal	44	337.1	2	-	4	93	*	-	-	1	-	100
Yuma	11	72.4	17	-	-	83	-	-	-	-	-	100
All Other	5	29.0	-	-	-	-	96	-	-	-	4	100
Total	135	899.5	4	*	2	86	4	*	*	3	*	100
			Acala 4-42	Acala 44	Delta-pine	Mesa Acala	—	—	—	—	—	Total
California												
Fresno	67	390.0	100	-	-	-	-	-	-	-	-	100
Imperial	17	122.2	90	7	3	-	-	-	-	-	-	100
Kern	67	406.1	100	-	-	-	-	-	-	-	-	100
Kings	30	188.1	100	-	-	-	-	-	-	-	-	100
Madera	15	72.6	100	-	-	-	-	-	-	-	-	100
Merced	11	49.0	100	-	-	-	-	-	-	-	-	100
Riverside	6	51.0	84	12	-	4	-	-	-	-	-	100
Tulare	41	232.7	100	-	-	-	-	-	-	-	-	100
Total	254	1,511.7	99	1	*	*	-	-	-	-	-	100
			Acala 1517C	Delta-pine	Empire	Mesilla Valley	Northern Star	Paymaster	Pima S-1	Stone-ville	Other 1/	Total
New Mexico												
Chaves	10	61.8	66	2	22	1	-	-	-	8	1	100
Dona Ana	19	81.8	79	-	-	5	-	-	13	-	3	100
Eddy	12	59.4	91	-	4	2	-	-	-	3	-	100
Lea	9	35.7	16	12	31	-	12	24	-	2	3	100
Luna	6	32.5	100	-	-	-	-	-	-	-	-	100
Roosevelt	5	10.1	-	-	40	-	15	24	-	-	21	100
All Other	6	14.9	80	*	-	*	7	8	-	-	5	100
Total	67	296.2	71	2	11	2	2	4	3	3	2	100
			Acala 1517C	Delta-pine	EH 808	Mesilla Valley	Pima 32	Pima S-1	Stone-ville	—	Other 1/	Total
Texas District 6												
El Paso	26	84.8	64	-	3	6	5	22	-	-	-	100
Hudspeth	8	25.8	100	-	-	-	-	-	-	-	-	100
Pecos	5	26.1	95	-	2	-	-	-	1	-	2	100
Reeves	22	115.1	80	1	2	3	3	7	3	-	1	100
Ward	3	7.0	97	-	1	-	-	-	-	-	2	100
All Other	3	11.1	96	-	-	-	-	-	-	-	4	100
Total	67	269.9	79	1	2	3	3	10	1	-	1	100

* Less than 0.5 percent.

1/ Includes small acreages planted to varieties other than those specified.



LIBRARY
PLANT VARIETY PROTECTION OFFICE
U. S. DEPARTMENT OF AGRICULTURE